

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A sign, comprising:

a housing;

a cover having at least one cover cutout; and

at least one symbol plate adapted to ~~engage~~ attach to said housing in at least two orientations relative to said housing, the at least two orientations including a first position, and a second position that is 90 degrees to the first position;

wherein said at least one symbol plate includes a visual representation of at least one symbol, said cover is adapted to attachably engage said housing with said at least one symbol plate disposed between said cover and said housing, and when said cover is engaged with said housing, the at least one cover cutout is oriented to expose the visual representation of the at least one symbol.

Claim 2 (canceled)

Claim 3 (previously presented): The sign of claim 1, wherein said housing includes at least one slot, and said at least one symbol plate includes at least one tab adapted to attachably engage said at least one slot.

Claim 4 (currently amended): The sign of claim 1,
wherein said at least one symbol plate includes at least one symbol plate cutout that provides the visual representation of the at least one symbol; and
wherein said housing includes a light source that emits light waves, of at least one color, and that pass through at least a portion of the at least one symbol plate cutout when said at least one symbol plate is attached to said housing.

Claim 5 (currently amended): The sign of claim 4, further comprising
at least one sheet adapted to be disposed between the light source and at least one of said at least one symbol plate;
wherein, when disposed between the light source and the at least one of said at least one symbol plate, said at least one sheet filters one or more of the at least one color from the light waves.

Claim 6 (currently amended): The sign of claim 4, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one symbol plate;

wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet diffuses a portion of the light waves to
prevent visual perception of the light source as a distinct image.

Claim 7 (canceled)

Claim 8 (canceled)

Claim 9 (currently amended): The sign of claim 61, further comprising
a deluxe plate having at least one deluxe plate cutout;
wherein said deluxe plate is adapted to attachably engage said housing with said
at least one symbol plate and said cover disposed between said deluxe plate and said
housing, and

wherein, when said deluxe plate is engaged with said housing, the at least one
deluxe plate cutout is oriented to expose the visual representation of at least one symbol.

Claim 10 (new): The sign of claim 9,
wherein said at least one symbol plate includes at least one symbol plate cutout
that provides the visual representation of the at least one symbol; and
wherein said housing includes a light source that emits light waves, of at least one
color, and that pass through at least a portion of the at least one symbol plate cutout when
said at least one symbol plate is attached to said housing.

Claim 11 (new): The sign of claim 10, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one symbol plate;
wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet filters one or more of the at least one color
from the light waves.

Claim 12 (new): The sign of claim 10, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one symbol plate;
wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet diffuses a portion of the light waves to
prevent visual perception of the light source as a distinct image.

Claim 13 (new): A sign, comprising:

a housing; and

at least one symbol plate adapted to engage said housing in at least two orientations relative to said housing;

wherein said at least one symbol plate includes a visual representation of at least one symbol, said at least one symbol plate includes at least one symbol plate cutout that provides the visual representation of the at least one symbol, and said housing includes a light source that emits light waves, of at least one color, and that pass through at least a portion of the at least one symbol plate cutout when said at least one symbol plate is attached to said housing.

Claim 14 (new): The sign of claim 13, wherein said housing includes at least one slot, and said at least one symbol plate includes at least one tab adapted to attachably engage said at least one slot.

Claim 15 (new): The sign of claim 13, wherein the at least two orientations include a first position, and a second position that is 90 degrees to the first position.

Claim 16 (new): The sign of claim 15, wherein said housing includes at least one slot, and said at least one symbol plate includes at least one tab adapted to attachably engage said at least one slot.

Claim 17 (new): The sign of claim 16, further comprising
a cover having at least one cover cutout;
wherein said cover is adapted to attachably engage said housing with said at least one symbol plate disposed between said cover and said housing, and
wherein, when said cover is engaged with said housing, the at least one cover cutout is oriented to expose the visual representation of the at least one symbol.

Claim 18 (new): The sign of claim 17, further comprising
a deluxe plate having at least one deluxe plate cutout;
wherein said deluxe plate is adapted to attachably engage said housing with said at least one symbol plate and said cover disposed between said deluxe plate and said housing, and
wherein, when said deluxe plate is engaged with said housing, the at least one deluxe plate cutout is oriented to expose the visual representation of at least one symbol.

Claim 19 (new): The sign of claim 13, further comprising
a cover having at least one cover cutout;
wherein said cover is adapted to attachably engage said housing with said at least one symbol plate disposed between said cover and said housing, and
wherein, when said cover is engaged with said housing, the at least one cover cutout is oriented to expose the visual representation of the at least one symbol.

Claim 20 (new): The sign of claim 19, further comprising
a deluxe plate having at least one deluxe plate cutout;
wherein said deluxe plate is adapted to attachably engage said housing with said
at least one symbol plate and said cover disposed between said deluxe plate and said
housing, and
wherein, when said deluxe plate is engaged with said housing, the at least one
deluxe plate cutout is oriented to expose the visual representation of at least one symbol.

Claim 21 (new): The sign of claim 13, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one symbol plate;
wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet filters one or more of the at least one color
from the light waves.

Claim 22 (new): The sign of claim 13, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one symbol plate;
wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet diffuses a portion of the light waves to
prevent visual perception of the light source as a distinct image.

Claim 23 (new): A sign, comprising:

a housing; and

at least one symbol plate adapted to engage said housing in at least two orientations relative to said housing;

wherein said at least one symbol plate includes a visual representation of at least one symbol, and said housing includes at least one slot, and said at least one symbol plate includes at least one tab adapted to attachably engage said at least one slot.

Claim 24 (new): The sign of claim 23, wherein the at least two orientations include a first position, and a second position that is 90 degrees to the first position.

Claim 25 (new): The sign of claim 23, further comprising

a cover having at least one cover cutout;

wherein said cover is adapted to attachably engage said housing with said at least one symbol plate disposed between said cover and said housing, and

wherein, when said cover is engaged with said housing, the at least one cover cutout is oriented to expose the visual representation of the at least one symbol.

Claim 26 (new): The sign of claim 25,
wherein said at least one symbol plate includes at least one symbol plate cutout
that provides the visual representation of the at least one symbol; and
wherein said housing includes a light source that emits light waves, of at least one
color, and that pass through at least a portion of the at least one symbol plate cutout when
said at least one symbol plate is attached to said housing.

Claim 27 (new): The sign of claim 25, further comprising
a deluxe plate having at least one deluxe plate cutout;
wherein said deluxe plate is adapted to attachably engage said housing with said
at least one symbol plate and said cover disposed between said deluxe plate and said
housing, and
wherein, when said deluxe plate is engaged with said housing, the at least one
deluxe plate cutout is oriented to expose the visual representation of at least one symbol.

Claim 28 (new): The sign of claim 26, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one plate;
wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet filters one or more of the at least one color
from the light waves.

Claim 29 (new): The sign of claim 26, further comprising
at least one sheet adapted to be disposed between the light source and at least one
of said at least one symbol plate;
wherein, when disposed between the light source and the at least one of said at
least one symbol plate, said at least one sheet diffuses a portion of the light waves to
prevent visual perception of the light source as a distinct image.